

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4691	709/220.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 11:41
L2	2105	709/221.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 11:41
L3	1456	709/222.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 11:41
L4	472	717/175.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 11:41
L5	2151	713/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 11:41

L6	115	1 and (transport \$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) same (disk\$1 memory medi\$5 floppy card\$1 drive \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:00
L7	9	1 and (transport \$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) same (disk\$1 memory medi\$5 floppy card\$1 drive \$1) same (updat \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:02
L8	6	2 and (transport \$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) same (disk\$1 memory medi\$5 floppy card\$1 drive \$1) same (updat \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:02

L9	2	3 and (transport\$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout\$3 desktop\$1 sett\$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person\$3) same (disk\$1 memory medi\$5 floppy card\$1 drive\$1) same (updat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:02
L10	3	5 and (transport\$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout\$3 desktop\$1 sett\$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person\$3) same (disk\$1 memory medi\$5 floppy card\$1 drive\$1) same (updat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:02
L11	776	(transport\$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout\$3 desktop\$1 sett\$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person\$3) same (disk\$1 memory medi\$5 floppy card\$1 drive\$1) same (updat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:03

L12	222	(transport\$4 transfer\$4 migrat \$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) with (disk\$1 memory medi\$5 floppy card\$1 drive \$1) with (updat \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:04
L13	638	(transport\$4 transfer\$4 migrat \$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) with (disk\$1 memory medi\$5 floppy card\$1 drive \$1) with (new chang\$4 alter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:05
L14	9	1 and (transport \$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) with (disk\$1 memory medi\$5 floppy card\$1 drive \$1) with (new chang\$4 alter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:06

L15	7	2 and (transport\$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout\$3 desktop\$1 sett\$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person\$3) with (disk\$1 memory medi\$5 floppy card\$1 drive\$1) with (new chang\$4 alter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:06
L16	3	3 and (transport\$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout\$3 desktop\$1 sett\$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person\$3) with (disk\$1 memory medi\$5 floppy card\$1 drive\$1) with (new chang\$4 alter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:06
L17	3	4 and (transport\$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout\$3 desktop\$1 sett\$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person\$3) with (disk\$1 memory medi\$5 floppy card\$1 drive\$1) with (new chang\$4 alter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:06

L18	6	4 and (transport \$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) with (new chang\$4 alter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:07
L19	7	4 and (transport \$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) with (updat\$4 new chang\$4 alter \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:07
L20	34	5 and (transport \$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) with (updat\$4 new chang\$4 alter \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:07

L21	0	((transport\$4 transfer\$4 migrat \$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) with (disk\$1 memory medi\$5 floppy card\$1 drive \$1) with (updat \$4)).clms.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:09
L22	62	((transport\$4 transfer\$4 migrat \$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) with (disk\$1 memory medi\$5 floppy card\$1 drive \$1) with (updat \$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:09
L23	2	1 and ((transport \$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout \$3 desktop\$1 sett \$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person \$3) with (disk\$1 memory medi\$5 floppy card\$1 drive \$1) with (updat \$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:23

L24	1	2 and ((transport\$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout\$3 desktop\$1 sett\$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person\$3) with (disk\$1 memory medi\$5 floppy card\$1 drive\$1) with (updat\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:24
L25	0	3 and ((transport\$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout\$3 desktop\$1 sett\$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person\$3) with (disk\$1 memory medi\$5 floppy card\$1 drive\$1) with (updat\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:24
L26	0	4 and ((transport\$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout\$3 desktop\$1 sett\$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person\$3) with (disk\$1 memory medi\$5 floppy card\$1 drive\$1) with (updat\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:24



L27	1	5 and ((transport\$4 transfer\$4 migrat\$4) with (prefer\$5 configuration\$1 configur\$4 layout\$3 desktop\$1 sett\$4 option\$1 display\$3) with (user\$1 client\$1 subscriber\$1 personal\$3 person\$3) with (disk\$1 memory medi\$5 floppy card\$1 drive\$1) with (updat\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 12:24
-----	---	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------	----	-----	---------------------

**EAST Search History (I nterference)**

&lt;This search history is empty&gt;

**8/ 12/ 10 12:28:06 PM**